

दिल्ली विकास प्राधिकरण
राष्ट्रमण्डल खेल खण्ड-1
स्कूल ब्लॉक, शकरपुर दिल्ली-92

सं। एफ 5 (320) 2019-20 /ईई/सीजीडी .1 /ए/ डीडीए /412

दिनांक: 01/07/2020

सेवा मे

मैसर्स बालाजी एसोसिएट्स
डी-35, गणेश नगर, पाण्डव नगर
दिल्ली-110092 (Regd. Office).
Correspondance Office
प्लैट नं-5, प्लॉट नं. 2/83, सैक्टर-2
राजेन्द्र नगर, साहिबाबाद,
गाजियाबाद, यू.पी. 201005

- कार्य का नाम : सीडब्ल्यूजी योजना के तहत पूर्ण कार्यों का रखरखाव।
उप प्रमुख : कॉमनवेल्थ गेम्स विलेज में ई-रोड व ट्रीटमेंट प्लांट की ओर जाने वाली सड़क का सुधार का कार्य।
एनआईटी नं. : 10 / ईई / सी.जी.डी.-1 / डी.डी.ए. / 2019-20
संदर्भ: 1. कार्य स्वीकृत पत्र की गारंटी आकार में प्रस्तुत एफडीआर असर सं-883488 दि- 10/06/2020 रु. 65035 /- की राशि द्वारा जारी नैनीताल बैंक लिमिटेड।
2. पत्र के आशय संख्या F.5(320)2019-20/EE/CGD.1/A/DDA/394 दिनांक 17/06/2020।

श्रीमान,

उपरोक्त वर्णित कार्य के लिए आपकी प्रतिशत दर की निविदा दिल्ली विकास प्राधिकरण की ओर से नीचे दिए गए विवरण के अनुसार आपके सहमत दरों पर नीचे विवरण अनुसार स्वीकार की गई है: -

1. अनुमानित लागत : रु. 21,29,692 /- (इक्कीस लाख उनत्तीस हजार छह सौ ब्यानवें)।
2. उद्धत और स्वीकृत दर : @ 36.11% नीचे (छत्तीस दशमलव ग्यारह प्रतिशत नीचे) अनुमानित लागत डी.एस.आर. 2018 से।
3. उद्धत एवं स्वीकृत निविदा राशि : रु. 13,60,660 /- (तेरह लाख साठ हजार छह सौ साठ)। (संलग्न परिशिष्ट की अनुसूची के अनुसार)।

आपसे अनुरोध है कि इस पत्र के जारी होने की तारीख से 15 दिनों के भीतर औपचारिक समझौते को पूरा करने के लिए 100 /- (केवल एक सौ रुपये) के मूल्य वाले गैर-न्यायिक स्टाम्प पेपर के साथ इस कार्यालय में उपस्थित हों।

आपसे निवेदन है कि काम शुरू करने के लिए आप इस डिवीजन के सहायक इंजीनियर -6 से सम्पर्क करें। कृपया ध्यान दें कि कार्य शुरू करने की तारीख कार्य शुरू करने की अनुमति पत्र जारी करने की तारीख के 10 वें दिन के बाद दिया जाएगा।

कार्य के निष्पादन के लिए अनुमत समय केवल 60 (साठ दिन) होगा।

धन्यवाद,
संलग्न: मात्रा की अनुसूची

आपका आभारी,

हस्ता /-
(राजीव कुं शर्मा)
अधिकासी अभियंता
रा.म.खेल खण्ड-1 / दि.वि.प्रा.

Copy to:-

1. Chief Engineer/EZ/DDA.
2. S.E./Eastern Civil Circle-2/DDA.
3. Director (System), DDA through E-Mail ddatender@dda.org.in for hosting the award letter on DDA's website www.dda.org.in .
4. Secy. (CRB), DDA.
5. Dy. CAO/CAU(CWG)/DDA.
6. All Executive Engineers, All Eastern Maintenance Divisions & Commonwealth Games Divisions-3 & 4, DDA.
7. Labour Commissioner, 5, Sham Nath Marg, Delhi-54 for information please.
8. EE (QAC) I, DDA.
9. Income Tax Officer (Contractor Circle), 21st Floor, Civic Centre, Minto Road, New Delhi-110 002.
10. Sales Tax Officer (Work Contract Cell), Ward No.4, Bikri Kar Bhawan, ITO, New Delhi.
11. Sr. A.O. (Works)-I/DDA.
12. F.O. to C.E. /East Zone (CWG), D.D.A.
13. Sr. A.O./CAU/EZ (CWG)/DDA.
14. A.E.-6, CGD.1, D.D.A. along with a copy of Annexure Schedule of Quantity with the following direction:-
 - a) To get relevant register from CB/CGD-1/DDA under the signature of undersigned.
 - b) Test check/record of measurement on all important/hidden items is to be done by AE to the extent of 100%.
15. A.E. (P)/CGD.1/DDA.
16. A.S.O., C.G.D.1, D.D.A.
17. Copy to agreement and all concerned files.

हस्ता /-
अधिशायी अभियंता
रा.म.खेल खण्ड-1/दि.वि.प्रा.

ANNEXURE
SCHEDULE OF QUANTITY

कार्य का नाम : सीडब्ल्यूजी योजना के तहत पूर्ण कार्यों का रखरखाव।
उप प्रमुख : कॉमनवेल्थ गेम्स विलेज में ई-रोड़ व ट्रीटमेंट प्लांट की ओर जाने वाली सड़क का सुधार का कार्य।

अनुमानित लागत : ₹. 21,29,692 / -

उद्धृत और स्वीकृत दर : @ 36.11% नीचे

उद्धृत एवं स्वीकृत निविदा राशि : ₹. 13,60,660 / -

Item No.	Description of item	Quantity	Units	Rate in		AMOUNT in	
				Rs.	P	Rs.	P
1.00	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per Direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix).	8.50	Cum.	1737.45		14768.00	
2.00	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:1½:3 (1 Cement: 1½ coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	9.50	Cum.	7210.55		68500.00	
3.00	Neat cement punning.	437.00	Sqm.	62.75		27422.00	
4.00	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm.	72.00	Sqm.	54.85		3949.00	
5.00	Providing and fixing prepolished precast concrete designer tiles 20mm to 25mm thick extra heavy duty of approved brand and manufacture (ultra tiles or equivalent) and of required shape and size over a bed of 20mm thick cement mortar 1:4 (1 cement:4 coarse sand) jointed with neat cement slurry including pointing the joints with ready mixed painting material complete in all respect as manufacturers specifications and direction of engineer in charge.	72.00	Sqm.	1334.75		96102.00	
6.00	Providing and applying 2.5 mm thick road marking strips (retroreflective) of specified shade/ colour using hot thermoplastic material by fully/ semi-automatic thermoplastic paint applicator machine fitted with profile shoe, glass beads dispenser, propane tank heater and profile shoe heater, driven by experienced operator on road surface including cost of material, labour, T&P, cleaning the road surface of all dirt, seals, oil, grease and foreign material etc. complete as per direction of Engineer-in-charge and accordance with applicable specifications.	420.00	Sqm.	607.3		255066.00	

7.00	Welding by gas or electric plant including transportation of plant at site etc. complete.	575.00	Cm.	3.35	1926.00
8.00	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	690.00	Kg.	131	90390.00
9.00	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 coarse sand)	11.00	Cum.	6376.25	70139.00
10.00	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work.	1640.00	Sqm.	79.95	131118.00
11.00	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work.	78.00	Sqm.	121.55	9481.00
12.00	White washing with lime to give an even shade : Old work (two or more coats).	1332.00	Sqm.	16.75	22311.00
13.00	Distempering with 1st quality acrylic distemper (ready made) having VOC content less than 50 gm per ltr. of approved manufacturer and of required shade and colour complete as per manufacturer's specification. One or more coats on old work	1681.00	Sqm.	48.05	80772.00
14.00	Finishing walls with water proofing cement paint of required shade : Old work (one or more coats applied @ 2.20 kg/10 sqm) over priming coat of primer applied @ 0.80 litres/10 sqm complete including cost of Priming coat.	1324.00	Sqm.	87.2	115453.00
15.00	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	9.00	Cum.	138.85	1250.00
16.00	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge. All kinds of soil.	5.00	Cum.	181.85	909.00

17.00	Providing and laying factory made chamfered edge Cement Concrete paver blocks In foot path, park & lawns driveway or light & traffic parking etc. of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of course sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand, all complete as per manufacturer's specifications & direction of Engineer-in-Charge. 60mm thick Cement concrete paver block of M-35 grade with approved colour, design & pattern.	133.00	Sqm.	884.75	117672.00
18.00	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:5:10 (1 cement : 5 coarse sand (zone-III) : derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources).	15.00	Cum.	5520.3	82805.00
19.00	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:2:4 (1 cement : 2 coarse sand (zone-III) : derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources).	4.00	Cum.	6788.6	27154.00
20.00	Providing and laying bituminous macadam using crushed stone aggregates of specified grading premixed with bituminous binder, transported to site by tippers, laid over a previously prepared surface with paver finisher equipped with electronic sensor to the required grade, level and alignment and rolling with smooth wheeled, vibratory and tandem rollers as per specifications to achieve the desired compaction and density, complete as per specifications and directions of Engineer-in-Charge.50 to 100 mm average compacted thickness with bitumen of grade VG-30 @ 3.50% (percentage by weight of total mix) prepared in Drum Type Hot Mix Plant of 60-90 TPH capacity.	98.00	Cum.	7665.25	751195.00
21.00	12 mm cement plaster of mix : 1:6 (1 cement: 6 coarse sand)	49.00	Sqm.	263.55	12914.00
22.00	15 mm cement plaster on rough side of single or half brick wall of mix: 1:6 (1 cement: 6 coarse sand).	49.00	Sqm.	303.9	14891.00
23.00	Taking out existing kerb stones of all types from footpath/central verge, including removal of mortar etc., disposal of unserviceable material to the dumping ground, for which payment shall be made separately and stacking of serviceable material within 50 metre lead as per direction of Engineer-in-Charge.	195.00	Metre	28.05	5470.00

24.00	Providing and laying at or near ground level factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm), including making drainage opening wherever required complete etc. as per direction of Engineer-in-charge (length of finished kerb edging shall be measured for payment). (Precast C.C. kerb stone shall be approved by Engineer-in-charge).	7.50	Cum.	8376.15	62821.00
25.00	Providing and applying tack coat using hot straight run bitumen of grade VG - 10, including heating the bitumen, spraying the bitumen with mechanically operated spray unit fitted on bitumen boiler, cleaning and preparing the existing road surface as per specifications : On bituminous surface @ 0.50 Kg/sqm.	1938.00	Sqm.	33.65	65214.00
Total					2129692.00
Quoted and accepted Rate in Figures			Less (-)	36.11% below	769032.00
Quoted and accepted Tender Amount in Figures					1360660.00
Quoted and accepted Tender Amount in Words		Rs. Thirteen Lakh Sixty Thousand Six Hundred & Sixty Only.			

हस्ता / -
(राजीव कुं शर्मा)
अधिशाली अभियंता
रा.म.खेल खण्ड-1 / दि.वि.प्रा.

OFFICE OF THE EXECUTIVE ENGINEER
COMMONWEALTH GAMES DIVISION NO.1
D.D.A., SCHOOL BLOCK, SHAKARPUR
DELHI -110 092

No. F.5 (320) 2019-2020/EE/CGD.1/A/DDA/412

Dated: 01.07.2020

To,

M/s Balaji Associates
D-35, Ganesh Nagar, Pandav Nagar
Delhi – 110 092 (**Regd. Office**).
Correspondance Office
Flat No. M-5, Plot No. 2/83, Sector-2
Rajendra Nagar, Shahibad,
Ghaziabad, U.P. 201005

Name of work: M/O Completed Scheme under CWG.
Sub Head: Improvement of E-Road and road leading to Treatment Plant at CWG
Village.
NIT No. : 10/EE/CGD-1/DDA/2019-2020.
Reference: 1. Performance Guarantee submitted in shape *FDRs bearing No. 883488* dt.
10.06.2020 amounting to Rs.68035/- of The Nainital Bank Ltd.
2. Letter of Intent No F.5 (320) 2019-20/EE/CGD.1/A/DDA/394 dated
17/06/2020.

Dear Sir(s),

Your percentage rate tender for the above mentioned work has been accepted on behalf of Delhi Development Authority at your quoted rates as per detail given below:-

1. Estimated cost : Rs.21,29,692/- (Rupees Twenty One lakh Twenty Nine thousand Six Hundred Ninety Two only).
2. Quoted and accepted Rate: @36.11% below (Thirty Six point eleven percent below) the estimated cost on DSR 2018.
3. Accepted Tender amount: Rs.13,60,660/- (Rupees Thirteen lakh Sixty Thousand Six hundred Sixty only).
(As per Annexure Schedule of Quantity enclosed).

You are requested to attend this office along with a non-judicial stamp paper worth Rs.100/- (Rupees one hundred only) to complete formal Agreement within 15 days from the date of issue of this letter.

You are requested to contact Asstt. Engineer-6 of this Division and to start the work at once. Please note that the time allowed for carrying out the work as entered in the tender shall be reckoned 10th day after the date of issue of letter of award to commence the work.

The time allowed for execution of the work will be 60 (Sixty days) only.

Thanking You,

Yours faithfully,

Encl.: Annexure Schedule of quantity

Sd/-
(Rajeev Kr. Sharma)
Executive Engineer
C.G.D.1/D.D.A.

Copy to:-

1. Chief Engineer/EZ/DDA.
2. S.E./Eastern Civil Circle-2/DDA.
3. Director (System), DDA through E-Mail ddatender@dda.org.in for hosting the award letter on DDA's website www.dda.org.in .
4. Secy. (CRB), DDA.
5. Dy. CAO/CAU(CWG)/DDA.
6. All Executive Engineers, All Eastern Maintenance Divisions & Commonwealth Games Divisions-3 & 4, DDA.
7. Labour Commissioner, 5, Sham Nath Marg, Delhi-54 for information please.
8. EE (QAC) I, DDA.
9. Income Tax Officer (Contractor Circle), 21st Floor, Civic Centre, Minto Road, New Delhi-110 002.
10. Sales Tax Officer (Work Contract Cell), Ward No.4, Bikri Kar Bhawan, ITO, New Delhi.
11. Sr. A.O. (Works)-I/DDA.
12. F.O. to C.E. /East Zone (CWG), D.D.A.
13. Sr. A.O./CAU/EZ (CWG)/DDA.
14. A.E.-6, CGD.1, D.D.A. along with a copy of Annexure Schedule of Quantity with the following direction:-
 - c) To get relevant register from CB/CGD-1/DDA under the signature of undersigned.
 - d) Test check/record of measurement on all important/hidden items is to be done by AE to the extent of 100%.
15. A.E. (P)/CGD.1/DDA.
16. A.S.O., C.G.D.1, D.D.A.
17. Copy to agreement and all concerned files.

Sd/-
Executive Engineer
C.G.D.-1/D.D.A.

ANNEXURE
SCHEDULE OF QUANTITY

Name of work: M/O Completed Scheme under CWG.
 Sub Head: Improvement of E-Road and road leading to Treatment Plant at CWG Village.
 Estimated cost: **Rs.21,29,692/-** **Quoted and accepted rate : @36.11% below** **Tender Amount: Rs.13,60,660/-**

Item No.	Description of item	Quantity	Units	Rate		AMOUNT	
				Rs.	P	Rs.	P
1.00	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per Direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix).	8.50	Cum.	1737.45		14768.00	
2.00	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:1½:3 (1 Cement: 1½ coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	9.50	Cum.	7210.55		68500.00	
3.00	Neat cement punning.	437.00	Sqm.	62.75		27422.00	
4.00	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm.	72.00	Sqm.	54.85		3949.00	
5.00	Providing and fixing prepolished precast concrete designer tiles 20mm to 25mm thick extra heavy duty of approved brand and manufacture (ultra tiles or equivalent) and of required shape and size over a bed of 20mm thick cement mortar 1:4 (1 cement:4 coarse sand) jointed with neat cement slurry including pointing the joints with ready mixed painting material complete in all respect as manufacturers specifications and direction of engineer in charge.	72.00	Sqm.	1334.75		96102.00	
6.00	Providing and applying 2.5 mm thick road marking strips (retroreflective) of specified shade/ colour using hot thermoplastic material by fully/ semi-automatic thermoplastic paint applicator machine fitted with profile shoe, glass beads dispenser, propane tank heater and profile shoe heater, driven by experienced operator on road surface including cost of material, labour, T&P, cleaning the road surface of all dirt, seals, oil, grease and foreign material etc. complete as per direction of Engineer-in-charge and accordance with applicable specifications.	420.00	Sqm.	607.3		255066.00	
7.00	Welding by gas or electric plant including transportation of plant at site etc. complete.	575.00	Cm.	3.35		1926.00	

8.00	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	690.00	Kg.	131	90390.00
9.00	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 coarse sand)	11.00	Cum.	6376.25	70139.00
10.00	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work.	1640.00	Sqm.	79.95	131118.00
11.00	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work.	78.00	Sqm.	121.55	9481.00
12.00	White washing with lime to give an even shade : Old work (two or more coats).	1332.00	Sqm.	16.75	22311.00
13.00	Distemping with 1st quality acrylic distemper (ready made) having VOC content less than 50 gm per ltr. of approved manufacturer and of required shade and colour complete as per manufacturer's specification. One or more coats on old work	1681.00	Sqm.	48.05	80772.00
14.00	Finishing walls with water proofing cement paint of required shade : Old work (one or more coats applied @ 2.20 kg/10 sqm) over priming coat of primer applied @ 0.80 litres/10 sqm complete including cost of Priming coat.	1324.00	Sqm.	87.2	115453.00
15.00	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	9.00	Cum.	138.85	1250.00
16.00	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge. All kinds of soil.	5.00	Cum.	181.85	909.00

17.00	Providing and laying factory made chamfered edge Cement Concrete paver blocks In foot path, park & lawns driveway or light & traffic parking etc. of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of course sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand, all complete as per manufacturer's specifications & direction of Engineer-in-Charge. 60mm thick Cement concrete paver block of M-35 grade with approved colour, design & pattern.	133.00	Sqm.	884.75	117672.00
18.00	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:5:10 (1 cement : 5 coarse sand (zone-III) : derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources).	15.00	Cum.	5520.3	82805.00
19.00	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:2:4 (1 cement : 2 coarse sand (zone-III) : derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources).	4.00	Cum.	6788.6	27154.00
20.00	Providing and laying bituminous macadam using crushed stone aggregates of specified grading premixed with bituminous binder, transported to site by tippers, laid over a previously prepared surface with paver finisher equipped with electronic sensor to the required grade, level and alignment and rolling with smooth wheeled, vibratory and tandem rollers as per specifications to achieve the desired compaction and density, complete as per specifications and directions of Engineer-in-Charge.50 to 100 mm average compacted thickness with bitumen of grade VG-30 @ 3.50% (percentage by weight of total mix) prepared in Drum Type Hot Mix Plant of 60-90 TPH capacity.	98.00	Cum.	7665.25	751195.00
21.00	12 mm cement plaster of mix : 1:6 (1 cement: 6 coarse sand)	49.00	Sqm.	263.55	12914.00
22.00	15 mm cement plaster on rough side of single or half brick wall of mix: 1:6 (1 cement: 6 coarse sand).	49.00	Sqm.	303.9	14891.00
23.00	Taking out existing kerb stones of all types from footpath/central verge, including removal of mortar etc., disposal of unserviceable material to the dumping ground, for which payment shall be made separately and stacking of serviceable material within 50 metre lead as per direction of Engineer-in-Charge.	195.00	Metre	28.05	5470.00

24.00	Providing and laying at or near ground level factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm), including making drainage opening wherever required complete etc. as per direction of Engineer-in-charge (length of finished kerb edging shall be measured for payment). (Precast C.C. kerb stone shall be approved by Engineer-in-charge).	7.50	Cum.	8376.15	62821.00
25.00	Providing and applying tack coat using hot straight run bitumen of grade VG - 10, including heating the bitumen, spraying the bitumen with mechanically operated spray unit fitted on bitumen boiler, cleaning and preparing the existing road surface as per specifications : On bituminous surface @ 0.50 Kg/sqm.	1938.00	Sqm.	33.65	65214.00
Total					2129692.00
Quoted and accepted Rate in Figures			Less (-)	36.11% below	769032.00
Quoted and accepted Tender Amount in Figures					1360660.00
Quoted and accepted Tender Amount in Words		Rs. Thirteen Lakh Sixty Thousand Six Hundred & Sixty Only.			

Sd/-
(Rajeev Kr. Sharma)
Executive Engineer
CGD-1/D.D.A.