

दिल्ली विकास प्राधिकरण
राष्ट्रमंडल खेल गांव खेल परिसर
अक्षरधाम, दिल्ली-110092

एन आई क्यू नम्बर: 01/ सी डब्ल्यू जी वी एस सी / डीडीए /2021-22

सचिव / राष्ट्रमंडल खेल गांव खेल परिसर, दिल्ली विकास प्राधिकरण, निम्नलिखित कार्य के लिए अनुभवी एजेंसियों से ऑनलाइन निविदाएं आमंत्रित की जाती है; ऑनलाइन निविदाएं 09.04.2022 को दोपहर 03:00 बजे तक भेजी जा सकती है; जो 11.04.2022 सुबह 11:00 बजे खोली जाएगी; निविदा के नियम और शर्त तथा मर्कों का विवरण अगले पृष्ठ पर दिया है जो <https://eprocure.gov.in/eprocure/app> की वेबसाइट से लिया जा सकता है

क्रम संख्या	एन आई टी नम्बर & काम का नाम	समय	निविदा प्रस्तुत करने की अंतिम तिथि और समय
			तकनीकी बोलियों को खोलने का दिनांक और समय
1.	एन आई टी नम्बर: 01/ सी डब्ल्यू जी वी एस सी / डीडीए /2021-22 कार्य का नाम :- डीडीए स्पोर्ट्स कॉम्प्लेक्स में विभिन्न खेल का रखरखाव एस एच: - सीडब्ल्यूजीवीएससी में स्विमिंग पूल में शौचालय की मामूली मरम्मत और रखरखाव	30	09.04.2022 03.00 अपराह्न <hr/> 11.04.2022 11:00 पूर्वाह्न पर

-Sd-

आर. ई. (सिविल)/ सी डब्ल्यू जी वी एस सी

प्रति:-

1. आयुक्त (खेल), दि. वि. प्रा.
2. डीडीए वेबसाइट पर अपलोड करने के लिए ई-मेल के माध्यम से आयुक्त (सिस्टम), दि. वि. प्रा.।
3. सीनियर एओ। (खेल), दि. वि. प्रा.
4. सीसी (कोऑर्डिन), स्पोर्ट्स विंग, दि. वि. प्रा.
5. संप्रदाय। डीडीए के ठेकेदार का कल्याण संघ विसास मीनार, आई.पी. एस्टेट, नई दिल्ली
6. संप्रदाय। डीडीए बिल्डर्स एसोसिएशन, ई -18, विकास कुटीर, नई दिल्ली
7. दिल्ली के ठेकेदार के कल्याण संघ (रजिस्ट्रेशन), 306, मस्जिद मांथ, एन डी एस, भाग -2, नई दिल्ली -11004 के महासचिव।
8. डीडीए स्पोर्ट्स कॉम्प्लेक्स के सभी सचिव अपने नोटिस बोर्ड पर प्रदर्शित करने के लिए।
9. _____
10. सूचना बोर्ड

-Sd-

आर. ई. (सिविल)/ सी डब्ल्यू जी वी एस सी

DELHI DEVELOPMENT AUTHORITY

CWG Village Sports Complex

Akshardham, Delhi-110092

NIQ NO. 02/CWGVSC/DDA/2021-22/Re-Call

Online quotations are re-invited from Experienced Dealers / Firms / Suppliers / Agencies on behalf of Chairman, Delhi Development Authority, (Sports Wing) for the following works at CWG Village Sports Complex. The quotation shall be uploaded in two parts, namely, 'Part -I' containing Technical Bid and 'Part – II' comprising 'Financial Bid'. **Only authorized dealers/ agencies/Contractors registered with DDA, CPWD and those of appropriate list of MES, BSNL & Railways** who have successfully completed three or more similar nature of works each costing not less than 40% of the estimated cost put to tender, or two completed works costing each not less than 60% of the estimated cost put to tender, or one completed work costing not less than 80% of estimated cost put to tender during the last five years in Government Department or Public Sector undertaking with annual turnover more than 30% of the estimated cost in each year during the immediate last three consecutive financial years ending March 2021 duly certified by Chartered Accountant are entitled to apply. A proof thereof should be uploaded with the Technical Bid. The tenderer should be registered with the GST Department and furnish a copy of registration with the tender. Earnest money shall be deposited through RTGS/NEFT in the account of “**CAU SPORTS DDA (EMD Account)**” having **A/c No. 1614159849 with Kotak Mahindra Bank, Gulmohar Park, New Delhi, IFSC-KKBK0000184.**

Name of Work: M/o various manpower sports complex ,DDA

SH: Minor Repair & maintenance of toilet at Swimming pool at CWGVSC

Estimated Cost: Rs.2,37,984/-

Earnest Money: 10,000.00

(SCHEDULE OF QUANTITY ATTACHED)

The documents can be downloaded from the e-tendering portal i.e. website <https://eprocure.gov.in/eprocure/app> or www.dda.org.in and the bids can be uploaded upto 03:00 PM on 09.04.2022 (last date of submission). The Technical Bid will be opened on 11.04.2022 at 11:00 AM. The unique transaction reference of RTGS/NEFT shall have to be uploaded by the quotationer in the E-Tendering system by the prescribed date.

The quotationers are required to upload the following documents on e-tendering portal <https://eprocure.gov.in/eprocure/app>

TECHNICAL BID (FIRST COVER)

1. Scanned copy of reference of RTGS/NEFT (EMD).
2. Scanned copy of PAN No.
3. Scanned copy GST Registration.
4. Scanned copy of Experience Certificate of similar nature of civil work in any govt. organization/PSU.
5. Scanned copy of Proof of e-tendering fee deposited with CRB of DDA.
6. Scanned copy of turnover of last three consecutive financial year ending March 2021 duly certified by Chartered Accountant having valid UDIN.

FINANCIAL BID (SECOND COVER)

- 1) Schedule of price bid in the form of BoQ_XXXXX.xls.

Any tender found lacking with respect to the necessary information and /or documents and/or Earnest Money with the Technical bid will not be considered.

Bidder/tenderer registered in Contractor's Registration Board (CRB) of DDA are required to pay the e-tendering annual charges as under: -

S. No	Class of Contractor	Amount to be paid p.a.
1	Class-I	Rs. 20,000 + GST @18%
2	Class-II	Rs. 16,000 + GST @18%
3	Class-III	Rs. 14,000+ GST @18%
4	Class-IV	Rs. 10,000+ GST @18%
5	Class-V	Rs. 6,000+ GST @18%

Note(1):-The bidder will use one UTR for one work only. In case, it is found that he has used one UTR number for different tenders, all the tenders submitted by him will be rejected and he will be debarred from further tendering in DDA in future.

Note(2):-The intending tenderer should ensure before tendering in DDA that the requisite fee has been already deposited with CRB.

Note(3):-No Hard copy of any document will be required to be submitted by the tenderers till the opening of the tenders. Hard Copies of relevant documents will be required from the lowest tenderer only.

Note(4):-For terms and conditions, eligibility criteria of specialized work, the manner in which Earnest Money is to be deposited through RTGS mode and other information/instructions, please visit DDA's website <https://eprocure.gov.in/eprocure/app> or www.dda.org.in. For any assistance on e-tendering please contact concerned EE or M/s N.I.C. on phone: 0120-4001062; 0120-4001002, 0120-4001005, 0120-6277787 or M/s N.I.C. on email support-eproc@nic.in.

TERMS & CONDITIONS:

1. Quoted rates should be inclusive of all taxes/levies, if any. DDA would not entertain any claim, whatsoever, in this respect.
2. No extra charges shall be paid for transportation/taxes.
3. The supply shall be made as per direction of Secretary/CWGVSC.
4. THAT the decision of this office respecting the quality of the supplies received shall be final and binding on the supplier and shall not be called in question before any Forum.
5. Necessary statutory deductions will be made as applicable.
6. Pre-receipt bill in duplicate may also be sent for making the payment.
7. The tenderer/quotationer should be registered with the GST Department and suppose to furnish a copy of GST registration.
8. Debarred agency/or individual shall not be permitted to participate in the tendering process.
9. Any individual who has been debarred is not permitted to take part in any negotiations or represent an agency even if the holds a power of attorney on the agencies behalf. Any agency engaging debarred persons is also liable to debarring.
10. Conditional quotations will not be accepted.
11. Based on real-time feedback of members and administrative staff of DDA, as and when a deficiency of service is noticed, the same will be intimated to the agency/contractor for rectification. In case there is no improvement/rectification within 24 hours of intimation, proportionate deduction, as approved by the Competent Authority, shall be made from the agency/contractor.
12. In case of withdrawal of offer, EMD will be forfeited.
13. The supply/work shall be completed within 45 days from the date of issue of the order.

RE/CWGVSC/DDA

No. F-8(67)/CWGVSC/DDA/2021-22/361

Date :30.03.2022

Copy to:-

1. Commissioner (Sports), DDA - for kind information please.
2. The Secretary, DDA Contractor Welfare Association, Vikas Kuteer, New Delhi.
3. The Secretary, DDA Builders, E-18, Vikas Kuteer, New Delhi
4. The General Secretary, Delhi Contractor's Welfare Association (Regd.), 306, Masjid Moth, N. D. S. E., Part - II, New Delhi - 110049.
5. All Secretaries of DDA Sports Complexes
6. Secretary/CWGVSC, DDA
7. AAO/CWGVSC, DDA
8. Notice Board
9. DDA Website - through e-mail to ddatender@dda.org.in with schedule.

RE/CWGVSC/DDA

SCHEDULE OF QUANTITY

Name of Work:- Maintenance of Various Sports Complex , DDA.

Sub-Head:- Minor Repair & maintenance of toilet at Swimming pool at CWGVSC

S.No.	Description	Qty	Unit	Rate	Amount
1	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm	14	sqm		
2	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	17	sqm		
3	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. Area of slab over 0.50	22	sqm		
4	Providing and fixing white vitreous china extended wall mounting water closet of size 780x370x690 mm of approved shape including providing & fixing white vitreous china cistern with dual flush fitting, of flushing capacity 3 litre/ 6 litre (adjustable to 4 litre/ 8 litres), including seat cover, and cistern fittings, nuts, bolts and gasket etc complete.	2	each		
5	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm	36	sqm		
6	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work	417.6	sqm		
7	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and	14	Sqm		

	<p>finishing to a flush finish of tapered and square edges of the board with recommended jointing compound , jointing tapes , finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with : 12.5 mm thick tapered edge gypsum plain board conforming to IS: 2095- (Part I) :2011 (Board with BIS certification marks)</p>				
	Total Amount				

R.E.(CWGVSC)